

Look-Alike Sound-Alike Vaccines 2024

Strategies for Safe Vaccine Storage and Administration

- Separate pediatric vaccines from adult by placing them on separate shelves.
- Use TALLMAN lettering and place "LASA" warning stickers on the vaccines.
- Be aware of similar brand names (e.g., Infanrix, Kinrix, Pediarix, and Boostrix).
- Avoid using vaccine abbreviations or only use CDC approved abbreviations.
- Compare vaccine with the written order and CAIR records prior to administration.
- Verify the patient identity, age, and vaccine ordered with licensed staff.

Vaccines with Diphtheria and Tetanus				
Generic.Name	CDC.Approved. Abbreviation	Trade.or.Brand. Name	Formulation	
D iphtheria/ T etanus Toxoids and acellular P ertussis	D Ta P	Daptacel Infanrix	Pediatric formulation	
Combination Vaccines with DT a P				
D iphtheria/ T etanus Toxoids and acellular P ertussis and poliovirus	DT a P - IPV	Kinrix	Pediatric Formulation	
D iphtheria/ T etanus Toxoids and acellular P ertussis and poliovirus	DT a P - IPV	Quadracel		
Diphtheria/Tetanus Toxoids and acellular Pertussis and hepatitis B and poliovirus	DT a P – HepB - IPV	Pediarix		
Diphtheria/Tetanus Toxoids and acellular Pertussis and poliovirus and Haemophilus b conjugate	DT a P – IPV - Hib	Pentacel		
Diphtheria/Tetanus Toxoids and acellular Pertussis and poliovirus and Haemophilus b conjugate and hepatitis B	DT a P - IPV – Hib - HepB	Vaxelis		
Tetanus/reduced diphtheria/ toxoids and acellular pertussis	T dap	Adacel Boostrix	Adult/adolescent formulation	
Tetanus/diphtheria	Td	Tdvax Tenivac	Adult/adolescent formulation	

Abbreviations: LASA=Look-Alike/Sound-Alike; CDC=Centers for Disease Control; CAIR=California Immunization Registry *Non-Formulary VCMC medications are in italics and greyed out.



Look-Alike Sound-Alike Vaccines 2024

Vaccine ABBREVIATION and	CONFUSED Vaccine	STRATEGIES TO IMPROVE
BRAND Name	ABBREVIATION and BRAND Name	SAFETY
DTaP (Infanrix) Diphtheria/Tetanus Toxoids and acellular Pertussis	Kinrix (DT a P -IPV) Pediarix (DT a P - HepB - IPV) Boostrix (T dap) Havrix (HepA) Priorix (MMR)	Verify all vaccines with licensed staff by comparing against the written order and CAIR record prior to vaccine administration.
DTaP – IPV (Quadracel) Diphtheria/Tetanus Toxoids and acellular Pertussis and poliovirus	Daptacel (DT a P) Pentacel (DT a P – IPV – Hib) Adacel (T dap)	Verify all vaccines with licensed staff by comparing against the written order and CAIR record prior to vaccine administration.
HepA (Havrix) Hepatitis A vaccine	Engerix-B (HepB) Kinrix (DT a P -IPV) Pediarix (DT a P – HepB – IPV) Boostrix (T dap) <i>Priorix (MMR)</i>	Verify all vaccines with licensed staff by comparing against the written order and CAIR record prior to vaccine administration.
HepB (Engerix-B) Hepatitis B vaccine	Havrix (HepA) Kinrix (DT a P -IPV) Pediarix (DT a P – HepB – IPV) Boostrix (T dap) Recombivax HB Ped-Adolescent Priorix (MMR)	Verify all vaccines with licensed staff by comparing against the written order and CAIR record prior to vaccine administration.
HPV (Gardasil-9) Human papillomavirus vaccine	HBV (unapproved abbreviation for HepB Vaccine)	Use only approved CDC abbreviations when placing vaccine orders
MenACWY-CRM (Menveo) Meningococcal conjugate vaccine – 1 vial formulation	Menveo – 2 vial formulation Bexsero (MenB-4C) Menactra (MCV4)	Double check the 1 and 2 vial formulations of MenACWY-CRM. Verify all vaccines with a RN/LVN prior to vaccine administration.
MMR (Priorix) Measles, mumps, and rubella vaccine	MMR II MMRV (ProQuad) Engerix-B (HepB) Havrix (HepA) Kinrix (DT a P -IPV) Pediarix (DT a P - HepB - IPV) Boostrix (T dap)	Verify all vaccines with licensed staff by comparing against the written order and CAIR record prior to vaccine administration.
PCV20 (Prevnar 20) Pneumococcal 20-valent conjugate vaccine	PCV-7 (Pneumococcal 7-valent) PCV-13 (Pneumococcal 13-valent) PCV-15 (Pneumococcal 15-valent) PPSV23 (Pneumococcal 23-valent)	Consolidate vaccine inventory.
Zoster (Shingrix) Recombinant varicella zoster vaccine	Boostrix (T dap)	Verify all vaccines with licensed staff by comparing against the written order and CAIR record prior to vaccine administration.